



OPENINGS, WIRE THICKNESSES & TYPES

MAX Kleen Screen Types		
Kleen-D	Kleen-DD	Kleen-V
Kleen-S	Kleen-P	Kleen-W

Wire Types	
Carbon Wire	Stainless Steel
Ideal for heavy and/or abrasive material in dry/damp/wet conditions	Ideal for screening wet, sticky, and/or corrosive materials

Asterisk () Indicates wire size only available in Carbon Wire ▼*

Opening Size (Inch)	Screen Type	Wire Sizes (mm)		
		Standard	Medium	Heavy
3/64"	Kleen-P	.50	.65	
1/16"	Kleen-P	.65	.80*	
3/32"	Kleen-P	.65	.80*	
	Kleen-D	1.4		
	Kleen-V	1.6		
1/8"	Kleen-P	.80*	1.0	
	Kleen-W	1.6		
	Kleen-S	1.6		
	Kleen-D	1.4	1.6	
5/32"	Kleen-P	1.0	1.2	
	Kleen-W	1.6		
	Kleen-S	1.6		
	Kleen-D	1.6		
3/16"	Kleen-P	1.0	1.2	1.4
	Kleen-W	1.6		
	Kleen-S	1.6	2.0	
	Kleen-D	1.6	2.0	
	Kleen-V	2.0		
Kleen-P screens can be ordered with any opening/wire size combination & heavier wires are available upon request for all screen types				

Opening Size (Inch)	Screen Type	Wire Sizes (mm)		
		Standard	Medium	Heavy
1/4"	Kleen-P	1.2	1.4	2.0
	Kleen-W	1.6	2.0	
	Kleen-S	2.0	2.5	3.0
	Kleen-D	1.6	2.0	2.5
	Kleen-V	2.0	2.5	
5/16"	Kleen-P	1.4	1.6	2.0
	Kleen-W	1.6	2.0	
	Kleen-S	2.0	2.5	
	Kleen-D	2.0	2.5	
	Kleen-V	2.5		
3/8"	Kleen-P	1.4	1.6	2.0
	Kleen-S	2.5	3.0	
	Kleen-D	2.0	2.5	3.0
	Kleen-V	2.0	2.5	3.0
	Kleen-W	2.0		
7/16"	Kleen-P	1.6	1.8	2.0
	Kleen-S	2.5	3.0	3.5
	Kleen-D	2.5	3.0	3.5
	Kleen-V	2.5	3.0	3.5
	Kleen-W	2.0		
Kleen-P screens can be ordered with any opening/wire size combination & heavier wires are available upon request for all screen types				

Opening Size (Inch)	Screen Type	Wire Sizes (mm)		
		Standard	Medium	Heavy
1/2"	Kleen-P	1.6	1.8	2.0
	Kleen-S	3.0	3.5	
	Kleen-D	3.0	3.5	
	Kleen-V	3.0	3.5	
	Kleen-W	2.0		
9/16"	Kleen-S	3.0	4.0	
	Kleen-D	3.0	3.5	
	Kleen-V	3.0	3.5	
	Kleen-W	2.0		
5/8"	Kleen-P	2.0	2.5	3.0
	Kleen-S	3.0	4.0	
	Kleen-D	3.0	3.5	4.0
	Kleen-V	3.0	4.0	
	Kleen-W	2.0		
11/16"	Kleen-D	3.5	4.0	
3/4"	Kleen-P	2.5	3.0	3.5
	Kleen-S	4.0	5.0	
	Kleen-D	3.5	4.0	5.0
	Kleen-V	4.0	5.0	
13/16"	Kleen-D	4.0	5.0	
7/8"	Kleen-D	4.0	5.0	
15/16"	Kleen-D	5.0	6.0	
Kleen-P screens can be ordered with any opening/wire size combination & heavier wires are available upon request for all screen types				

Opening Size (Inch)	Screen Type	Wire Sizes (mm)		
		Standard	Medium	Heavy
1"	Kleen-D	5.0	6.0	
1 1/16"	Kleen-P	2.0	2.5	3.0
	Kleen-D	5.0		
1 1/8"	Kleen-D	5.0	6.0	
	Kleen-DD	5.0	6.0	
1 1/4"	Kleen-S	5.0		
	Kleen-D	5.0	6.0	8.0*
	Kleen-DD	5.0	6.0	8.0*
1 5/16"	Kleen-D	6.0		
1 3/8"	Kleen-D	6.0	8.0*	
	Kleen-DD	6.0	8.0*	
1 1/2"	Kleen-D	5.0	6.0	8.0*
	Kleen-DD	5.0	6.0	8.0*
1 5/8"	Kleen-D	6.0	8.0*	
	Kleen-DD	6.0	8.0*	
1 3/4"	Kleen-D	5.0	6.0	8.0*
	Kleen-DD	5.0	6.0	8.0*
1 7/8"	Kleen-D	6.0	8.0*	
	Kleen-DD	6.0	8.0*	
2"	Kleen-D	6.0	8.0*	9.0*
	Kleen-DD	6.0	8.0*	9.0*
Kleen-P screens can be ordered with any opening/wire size combination & heavier wires are available upon request for all screen types				

Opening Size (Inch)	Screen Type	Wire Sizes (mm)		
		Standard	Medium	Heavy
2 1/4"	Kleen-D	8.0*	9.0*	
	Kleen-DD	8.0*	9.0*	
2 1/2"	Kleen-D	8.0*	9.0*	
	Kleen-DD	8.0*	9.0*	
2 3/4"	Kleen-D	8.0*	9.0*	
	Kleen-DD	8.0*	9.0*	
3"	Kleen-D	8.0*	9.0*	
	Kleen-DD	8.0*	9.0*	
3 1/2"	Kleen-D	8.0*	9.0*	
	Kleen-DD	8.0*	9.0*	
Kleen-P screens can be ordered with any opening/wire size combination & heavier wires are available upon request for all screen types				

